Brannan are pleased to introduce a range of high accuracy thermometers which are supplied complete with calibration certificate ideal for use as part of HACCP procedures. All instruments are supplied with battery and full operating instructions.

- Professional test products
- Brannan's quality and accuracy
- Supplied complete with 2-point calibration certificate
- ISO 9001:2008 Quality Management System
- Short lead time and delivery

Calibrated Long Probe Test Thermometer



- · Waterproof to IPX7
- Audible alarm with flashing LED
- Max/Min memory function
- · 210mm stainless steel probe with protective pocket case and clip
- Supplied complete with long life battery

Range: -10 to +110°C&F Accuracy: +/-2°C between -10 & 0°C +/-1°C between +1 & +40°C +/-2°C between +1 & +70°C +/-2°C between +71 & +110°C

Calibrated Folding Probe Test Thermometer



- · Digital thermometer with adjustable probe from 0 to 180 degrees to allow different angle viewing
- Waterproof to IP65.
- Auto power off and data hold functions
- · 85mm stainless steel probe which folds away into unit for protection whilst not in use.
- · Supplied complete with long life battery and wrist strap.

 Range:
 -50 to +150°C&F

 Accuracy:
 +/-1°C between -20 & 250°C otherwise +/-2°C







TC-002

TC-001



Leconfield Industrial Estate Cleator Moor Cumbria CA25 5QE UK Tel: +44 (0) 1946 816600 email: sales@brannan.co.uk web: www.brannan.co.uk

ISO 900

Calibrated Jumbo Thermometer & Humidity Meter

TC-006



- Twin displays for simultaneous readings of indoor temperature and humidity or indoor and outdoor temperature
- Max/Min memory and alarm features •
- 2m cable for remote reading •
- Clock switches to date every 5 seconds
- Hanging hook and desk stand
- Supplied complete with battery

Range:	Internal: -10 to +50°C&F
	Remote: -50 to +70°C&F
	Humidity: 20 to 99%RH
Accuracy:	Temperature: +/-1°C between -10 & 70°C otherwise +/-2°C
	Humidity: +/- 5%RH

Calibrated Twin Reading Thermometer



- Twin displays for simultaneous readings of indoor and outdoor temperature or room temperature and fridge or freezer temperature
- Max/Min memory and alarm features
- 2m cable for remote reading •
- Magnetic back and additional hanging hook
- Supplied complete with battery

Range: Internal: -20 to +50°C&F Remote: -50 to +70°C&F +/-1°C between -20 & 70°C otherwise +/-1.5°C Accuracy:

Calibrated Twin Reading Thermometer



- Twin displays for simultaneous readings of indoor and outdoor temperature or room temperature and fridge or freezer temperature
- Audible alarm with flashing LEDs
- Max/Min memory feature
- 1m cable with suction pad for remote reading
- Magnetic back
- Supplied complete with battery

-50 to +70°C&F Range: +/-1°C between 0 & 40°C otherwise +/-2°C Accuracy:





S.Brannan & Sons Ltd Leconfield Industrial Estate Cleator Moor Cumbria CA25 5QE UK Tel: +44 (0) 1946 816600 email: sales@brannan.co.uk web: www.brannan.co.uk



TC-008


TC-007



DIGITAL THERMOMETER



Example of Calibration Certificate



Key for Symbols

Includes Calibration Certificate Traceable to National Standards	RAPID TEST Rapid test 1 second sample rate	Folding probe	Clock function
YEAR 2 year guarantee	AUTO OFF Auto power off function	Audible alarm feature	Magnetic fixture
CE, RoHS and WEEE Compliant	Auto power on and off function	Audible and visual alarm features	Hanging hook
HACCP Suitable for use in food processing	IPX7 Ingress Protection to IP X7	Probe with 1m cable	Desk stand
Can be used multiple times	Ingress Protection to IP 65	Probe with 1.5m cable	IN Indoor/outdoor readings
MAX Max/Min recording function	WiDE RANGE measuring range	Probe with 2m cable	
DATA HOLD Data hold function	CAL Calibration function	Humidity meter	

S/291160:17.REV0



